



Gill Net Surveys

- 49 net nights of effort completed in April
- AGF, NDOW, NPS and USBR

Gill Netting Fish Per Net Night




Gill Net Fish Per Net Night



Lmb, sunfish and razorback catch rates fairly stable as measured by the gill net surveys


Gill Net Surveys % Biomass



Striped bass % biomass lowest since the late 1980's

Carp % biomass highest since the mid 80's even with the recent herpes outbreak


Gill Netting Striped Bass PSD (stock size 13 in., Q size 20 in.)




Poor striped bass recruitment reflected in the striped bass PSD

Electroshocking


- 10 sites were shocked in the fall of 2010 by NDOW and AGF
- Total of 155 minutes of switch time






Large increase in the striped bass component
Smallmouth bass becoming more abundant

Electrofishing Catch Rates



High striped bass catch rate, primarily you High largemouth and bluegill catch rates



Habitat Project

 Cooperative effort between NDOW, AGF, MPS, USBR with volunteers from The Nevada Bass Federation, The Las Vegas Bass Club, Boy Scouts and individual volunteers.

- To date we have placed in Carp, Box, Shoshone and Arrowhead coves a total of:
- 88 pallet and brush A-frames
- 27 pvc and snow fence structures.
- 52 assorted brush bundles and mixtures of brush and pallets
- 3 pallet stacks
- 24 loads of Christmas trees, approx. 600 trees



